



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/820,025	04/08/2004	Masaaki Oyamada	0092/011001	7573

22893 7590 04/26/2007
SMITH PATENT OFFICE
1901 PENNSYLVANIA AVENUE N W
SUITE 901
WASHINGTON, DC 20006

EXAMINER

TSOY, ELENA

ART UNIT	PAPER NUMBER
----------	--------------

1762

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	04/26/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

4

Office Action Summary	Application No. 10/820,025	Applicant(s) OYAMADA ET AL.	
	Examiner Elena Tsoy	Art Unit 1762	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 April 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) 1, 2 and 16-19 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>4/08/04: 12/18/06</u> . | 6) <input type="checkbox"/> Other: _____ |

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-2 and 16-19, drawn to conductive electroless plated powder, classified in class 428, subclass 403.
- II. Claims 3-15, drawn to a method for making a conductive electroless plated powder, classified in class 427, subclass 305.

Distinctness

The inventions are distinct, each from the other because:

Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make another and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the process as claimed can be used to make another and materially different product such as a product with glass cores.

Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Groups II and III, restriction for examination purposes as indicated is proper.

During a telephone conversation with Randolph A. Smith on September 25, 2006 a provisional election was made without traverse to prosecute the invention of Group II, claims 3-15. Affirmation of this election must be made by applicant in replying to this Office action. Claims 1-2, and 16-19 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Art Unit: 1762

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

The Examiner Note:

A phrase "initial thin nickel film" was interpreted by the Examiner according to the specification as originally filed as a film having thickness within a range of 0.001-2 microns (See published Application, P31).

Claim Objections

1. Claims 3, 6, are objected to because of the following informalities:

Claim 3, step (III), "the same complexing agent" should be changed to "the ~~same~~ complexing agent";

Claim 6, lines 5 and 9; Claim 8, lines 5 and 9; Claim 11, lines 5 and 9; Claim 13, lines 5 and 9, "initial thin nickel films" should be changed to "initial thin nickel films".

Double Patenting

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

Art Unit: 1762

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claims 3-15 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 3, 5, 7, 9-39 of copending Application No. 10/820,024 in view of Kawakami et al (JP 1-242782). The Application '024 discloses all claimed limitations except for the complexing agent comprising an organic carboxylic acid such as tartaric acid or a salt thereof.

Kawakami et al teach that an organic carboxylic acid such as tartaric acid, glycine or ethylenediamine can be used as a complexing agent for nickel electroless plating (See Translation, page 25, Table 4). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used an organic carboxylic acid such as tartaric acid as a complexing agent for nickel electroless plating in Application '024 instead of glycine or ethylenediamine since Kawakami et al teach that an organic carboxylic acid, glycine or ethylenediamine can be used as a complexing agent for nickel electroless plating.

This is a provisional obviousness-type double patenting rejection.

4. Claims 3-15 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 5-7 of U.S. Patent No. 6,770,369 in view of Kawakami et al (JP 1-242782). The Patent '369 discloses all claimed limitations except

Art Unit: 1762

for the complexing agent comprising an organic carboxylic acid such as tartaric acid or a salt thereof.

Kawakami et al are applied here for the same reasons as above. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used an organic carboxylic acid such as tartaric acid as a complexing agent for nickel electroless plating in Patent '369 since Kawakami et al teach that an organic carboxylic acid such as tartaric acid can be used as a complexing agent for nickel electroless plating.

All other particular process limitations would be determined through routine experimentation in the absence of showing of criticality.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made:

2. Claims 3-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawakami et al (JP 1-242782).

Kawakami et al disclose a method for making conductive (See Translation, page 22, paragraph 1) electroless plated powder comprising the steps of: (I) allowing the core particles which have a noble metal ion-capturing ability to capture noble metal ions (See Translation, page 14) such as Pd using dilute acid solution of palladium salt (See Translation, page 14, paragraph 2), and reducing the noble metal ions by a reducing

Art Unit: 1762

agent used in the electroless plating solution ***optionally*** in the presence of a complexing agent used in the electroless plating solution (See Translation, page 15, paragraph 1) so that the surfaces of the core particles support the noble metal (See Translation, page 15, lines 2-7); (II) dispersing the core particles in a dispersion medium such as an aqueous solution containing at least one component constituting electroless plating solution, in particular, an aqueous solution of complexing agent (See Translation, page 17, paragraph 2), e.g. wastewater of plating containing a complexing agent (See Translation, page 17, five bottom lines); (III) adding **at least two solutions constituting electroless plating solution**, e.g. a nickel ion-containing solution, a complexing agent solution such as tartaric acid, glycine or ethylenediamine solution (See Translation, page 18, lines 6-7; page 25, Table 5), and a solution of reducing agent such as sodium borohydride or dimethylamine borane (See Translation, page 19, paragraph 3), **individually and simultaneously** to the aqueous suspension containing the dispersion (II) of core particles to perform electroless plating (See Translation, page 19). In Examples 1-10, Kawakami et al teach that two solutions constituting electroless plating solution that are added individually and simultaneously to a suspension of core particles are made of a nickel salt solution as one solution, and a reducing agent solution combined with sodium hydroxide as second solution, whereas a complexing agent is added to the suspension of core particles (See Translation, page 23, paragraphs 3-4). Kawakami et al further teach that by adding the plating solution, the plating reaction starts promptly (See Translation, page 21, paragraph 2, lines 1-2). Although Kawakami et al do not expressly teach that **two** solutions constituting electroless plating solution to be added individually and simultaneously to the suspension of core particles may be made by combining a

complexing agent solution with a nickel salt solution, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have made two solutions constituting electroless plating solution by combining a nickel ion-containing solution with a complexing agent solution (one solution) and a reducing agent solution combined with sodium hydroxide (second solution) with the expectation of providing the desired prompt start of the plating reaction upon individual and simultaneous addition of two solutions to the suspension of core particles because Kawakami et al teach that at least two solutions constituting electroless plating solution may be made from a nickel ion-containing solution, a complexing agent solution, and a solution of reducing agent; and the nickel salt is added *separately* from the reducing agent. Kawakami et al further teach that the rate of addition of the agent solution directly affects the plating reaction and is significantly related to the surface area and physical properties of the core material. Thus, it is necessary to add the agent solution by controlling so that irregularities do not occur in the plating film and uniform and strong film can be formed. See Translation, page 20. If the individual agents are added at the proper ratio, all of the metal salt added is reduced and deposited on the surface of the core material. Consequently, the thickness of the plating film can be controlled arbitrarily depending on the amount of addition. See Translation, page 21, paragraph 2.

Kawakami et al fail to teach that a second plated layer is applied over said first plated layer in the presence of wastewater of a first plating solution.

(i) It is a well-known principle to reapply a coating composition to achieve a desired thickness of a final coating depending on intended use of the final coated product.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have reapplied a plated nickel layer in Kawakami et al, according to well-known principle, with the expectation of providing the desired thickness of a final coating. Thus, if the initial plated nickel layer is too *thin*, i.e. is not of desired thickness, the plating process can be repeated in the presence of **wastewater of the first plating** solution.

(ii) Kawakami et al teach that core material include inorganic core materials such as metals, glass, ceramic, metal oxides, organic core materials (See Translation, page 12, paragraph 2), that can be used alone or *in combination of two* or more (See Translation, page 12, paragraph 2, last two lines). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have use nickel coated non-metal core materials as metal core particles in Kawakami et al since Kawakami et al teach that combination of two core materials can be used as core materials and Kawakami et al do not limit core materials to particular metals. It would have also been obvious to one of ordinary skill in the art at the time the invention was made to have coated non-metal core materials with nickel using electroless plating since Kawakami et al teach that non-metal core materials can be coated with nickel by electroless plating.

It is the Examiner's position that the plated film include columnar structures extending in a direction of thickness of a nickel film since it is formed by a process substantially identical to that of claimed invention.

It is also the Examiner's position that forming a first nickel layer in Kawakami et al by adding electroless plating agent solutions separately and simultaneously to a suspension of core particles reads on claimed step II of dispersing core particles in an

Art Unit: 1762

initial solution because claims do not recite that the core particles are added to the solutions.

As to concentration limitations, Kawakami et al teach that the concentration of each agent can be set within saturation concentration and is not particularly limited (See Translation, page 20). Moreover, it is well settled that differences in concentration or temperature will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such concentration or temperature is critical.

"Where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have determined the optimum values of the relevant concentration parameters (including those of claimed invention) in Kawakami et al through routine experimentation in the absence of showing of criticality.

As to claim 15, the core particles are imparted with the noble metal ion-capturing ability by a surface treatment (See Translation, page 14).

3. Claims 3-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawakami et al in view of Weber et al (US 6,274,241).

Kawakami et al are applied here for the same reasons as above. Kawakami et al teach that core material include inorganic core materials such as metals, glass, ceramic, metal oxides, organic core materials (See Translation, page 12, paragraph 2), that can be used alone or *in combination of two* or more (See Translation, page 12, paragraph 2, last two lines). Kawakami et al fail to teach that a combination of glass and metal core

Art Unit: 1762

materials can be prepared by electroless plating of glass powder by forming first a nucleation layer of Pd metal on the surface of the glass powder, and then exposing a nucleated glass powder to electroless plating solution containing a nickel salt, a reducing agent, and complexing agent so that a second plated layer is applied over said first plated layer in the presence of wastewater of a first plating solution.

Weber et al teach that *nickel* film (See column 5, lines 45-47) can be applied to glass powder (See column 3, lines 48-58) by forming first a nucleation layer of Pd metal on the surface of the glass powder (See Example 1), and then exposing a nucleated glass powder to electroless plating solution containing a nickel salt, a reducing agent, and complexing agent (See Example 2).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used nickel coated non-metal core materials as metal core particles in Kawakami et al since Kawakami et al teach that combination of two core materials can be used as core materials, and Kawakami et al do not limit core materials to particular metals. It would have also been obvious to one of ordinary skill in the art at the time the invention was made to have coated nucleated non-metal core materials such as glass particles with nickel film in Kawakami et al using electroless plating since Weber et al teach that *nickel* film can be applied to glass powder by forming first a nucleation layer of Pd metal on the surface of the glass powder, and then exposing a nucleated glass powder to electroless plating solution containing a nickel salt, a reducing agent, and complexing agent.

4. Claims 3-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawakami et al/Kawakami et al in view of Weber et al/, further in view of Segawa et al (JP 2001-316834).

Kawakami et al/Kawakami et al in view of Weber et al/ are applied here for the same reasons as above. Kawakami et al do not expressly teach that at least **two** solutions constituting electroless plating solution to be added individually and simultaneously to the suspension of core particles are made by combining a complexing agent solution with a nickel salt solution.

Segawa et al teach that if a reducing agent is mixed in advance with a chelating solution of cobalt, a reduction reaction will proceed due to the reducing agent, the life of the plating solution will become shorter, and a change will arise in the film-forming rate along with time between the start and end of the life of the plating solution (See P53). Further nickel and cobalt easily precipitate as hydroxides in an alkaline solution (See P61). Therefore, in order to prevent reduction of life of a plating solution and obtain homogeneous good plating deposits (See P31), it is desirable to hold each component of a plating solution separately in two or more tanks and mix them with a plating cup 21 (See P51), for example, a metal solution containing chelating agent separately from a reducing agent containing pH regulator (See P15, 23, 51-53).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used a combination of a metal salt solution with a chelating agent as one solution and a solution of a reducing agent and pH-regulator as second solution in the cited prior art with the expectation of preventing reduction of life of a

Art Unit: 1762

plating solution and obtaining the desired homogeneous good plating deposits, as taught by Segawa et al.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elena Tsoy whose telephone number is 571-272-1429. The examiner can normally be reached on Monday-Thursday, 9:00AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on 571-272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Elena Tsoy
Primary Examiner
Art Unit 1762

ELENA TSOY
PRIMARY EXAMINER
ETsoy

April 24, 2007